Rimetoc

The enterprise solution for time tracking.



Options, Configurations and Pricing

TimeTac Evo Basic Time Clock

Information
www.timetac.com

Knowledge Base support.timetac.com



TimeTac Evo Basic Time Clock

Our employee time clocks are an upgrade to the punch card systems of previous years. Employees can record their arrival, departure and break times with a register of their fingerprint or a simple contact of an RFID/ NFC key ring. Placed beside the door or in the reception area, our time clocks add an appealing and incredibly convenient method for your employees to record their attendance.

Regardless of how you record your time; whether you started your working day via a time clock, tracked your lunch break from your desktop computer and stopped recording as you left the building from your smartphone, all data is stored in the one system. This also means that you can usefully view your tracked time when on the move and can analyse your working hour reports from your office desk. You can of course see which device was used for time tracking.

Due to the convenience of a robust hardware solution, time clocks also bring time tracking to environments where computers or smartphones are not commonly found, such as factories, warehouses, hospitals and more.

Overview

- 1 200 x 109 x 85 mm housing
 - Colour-LCD 480x320 display with touch screen
- 3 Customisable display options for optimal usage
- 4 Easy to wall mount
- 5 LAN or GPRS connectivity
- 6 RFID or RFID + fingerprint reader
- IP 54 Protection



Configurations and Pricing

Time Clock Configurations

⊘	with RFID/NFC Reader**	€ 590.00
Ø	with RFID/NFC and Fingerprint Readers**	€890.00

Price *

** 13.56 MHz RFID/NFC Reader (ISO 14443: Mifare-Classic, MifareDesfire, -Plus, Ultralight). Readers with other compatabilities are available if required.

All of the above mentioned time clocks include a TCP/IP LAN network card, wall mounting fixtures and a power cable.

Time Clock Additions	Price *
 POE (Power over Ethernet) Adapter *** GPRS Module (data plan not included) WLAN Module - 802.11bg and 802.11n 	€ 50.00 € 190.00 € 120.00
Further Options	Price *

 \bigcirc RFID/NFC Key Ring (price per unit) € 3.50

* All advertised prices are to be considered net. *** Supported: IEEE 802.3af und IEEE 802.3at

Technical Data

	Structure	Plastic housing ABS HB
	Dimensions (width x height x depth)	109 x 200 x 85 mm
Housing	Weight (w/o power supply)	Base unit 0.35kg plus wall mount plate of 0.125kg
Display	LCD	TFT 3,5" [8,9 cm] 480x320 pixels
Power	Power supply	12 V DC
	Ambient temperature	-20°C to + 70°C (Power supply -20°C to +60°C)
Environment values	Protection	IP54 front
	TCP / IP (optional)	TCP / IP operating with integrated TCP / IP stack, 10/100 Mbit
	WLAN (optional)	Integrated wireless LAN module, WLAN 802.11 bg and 802.11n (Only 2.4 GHz)
Data transmission	GSM / GPRS (optional)	GSM/GPRS, mobile module quad band 850 / 900 / 1800 / 1900 MHz
	Fingerprint	Fingerprint module integrated; sensor in lower right of housing
Additional Options	Integrated transponder reader	125KHz - Unique, titanium, Hitag. 13.56 MHz - Legic, Mifare, ISO14443, ISO15693, Simon Voss, iButton, Nedapw

www.timetac.com office@timetac.com

DE: 0800 - 240 40 50 AT: 0800 - 240 40 50 CH: 0800 - 240 40 5